*Sub-Cell. Biochem.* (1975), 367–378

# COMPREHENSIVE SUBJECT INDEX
# VOLUME 4

A
*Acer pseudoplatanus*,
ADP:O ratio in mitochondria, 40
mitochondrial respiration, 27
*Achromobacter*,
cyanide-insensitive respiration,
effect of culture conditions, 47
effect of:
antimycin, 25
succinate and NADH, 34
respiration,
effect of different substrates, 32
Acid RNase,
effect of:
dibutyryl cAMP, 205
freezing and thawing, 194
hormonal deprivation, 204
in human benign meningioma, 201
in tumours, 190
sub-cellular distribution, 190
Active transport,
and "external" metabolites, 218
Adaptors, 216
Adenocarcinoma,
RNase deficiency, 197
ADP:O ratio,
and cyanide-insensitive respiration, 40
*Agrobacterium tumefaciens*,
and appearance of cyanide-insensitive respiration, 46
Alkaline RNase,
in benign spongioblastoma, 201
in tumours:
latency, 190
sub-cellular distribution, 190
labeled antibodies, 201
sub-cellular localization, 186
Alternative respiratory pathway,
see: Cyanide-insensitive respiration,
Amino acid synthesis,
in yeast, 219
Aminoacyl tRNA,
as adaptor, 216
Anthesis,
and cyanide-insensitive respiration in *Hordeum vulgare*, 45
Antibodies,
against mitochondrial ribosomal proteins, 110
Antimycin,
effect on:
*Acer pseudoplatanus* mitochondria, 22
*Arum italicum* mitochondria, 22
*Candida utilis* mitochondria, 21
*Ipomea batatas* mitochondria, 22
*Myrothecium verrucaria* mitochondria, 24
site of action in cyanide-insensitive respiration, 42
Araceae,
cyanide-insensitive respiration, 4
Arginase,
and lymphosarcoma regression, 204
*Arum maculatum*,
cyanide-insensitive respiration, 2
mitochondria,
effect of hydroxamates, 18
Ascites tumours,
RNase activity, 187
Ascitic fluid,
RNase activity, 187
Ascomycetes,
cyanide-insensitive respiration, 10

©1976 Plenum Publishing Corporation. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, microfilming, recording, or otherwise, without written permission of the publisher.

Ascorbate,
and respiration of *Myrothecium verrucaria*, 31
oxidation,
effect of cyanide, 27
Ascorbate plus TMPD,
effect on cyanide-insensitive respiration, 30
Asparagine,
cyanide incorporation in Fusarium, 12
Aspartyl transcarbamylase complex, 219
Aspartyl tRNA,
mitochondrial, 112
*Aspergillus oryzae*,
effect of antimycin, 23
ATP synthesis,
and cyanide-insensitive respiration, 39
*Atropa belladona*,
effect of antimycin, 25
Azide,
effect on mitochondrial respiration, 23

B
*Bacillus cereus*,
cyanide-insensitive respiration, 47
effect of antimycin, 25
Bacteria,
cyanide-insensitive respiration, 9
Base "Y",
absence from mitochondrial tRNA, 113
Basidiomycetes,
cyanide-insensitive respiration, 10
Basophilia,
RNA changes, 206
Benzhydroxamic acid,
effect on seed germination, 21
*Beta vulgaris*,
effect of antimycin, 25
Biochemical pathways,
generalized analysis, 217
Biogel P10,
histone chromatography, 148
Branch points,
in metabolic pathways, 217
Breast carcinoma,
RNase deficiency, 197

C
cAMP-sensitive protein kinase,
and histone phosphorylation, 147
Cancer,
and ribonucleases, 185–211
Candida,
cyanide-insensitive respiration, 11
*Candida lipolytica*,
cyanide-insensitive respiration,
effect of:
cycloheximide, 51
hydroxamates, 20
*Candida utilis*,
effect on respiration of pyruvate + malate, 33
Site I induction, 55
Carbamyl phosphate synthetase, 219
Carbon monoxide,
effect on:
*Myrothecium verrucaria*, 26
*Neurospora tetrasperma*, 26
Carboxin,
and cyanide-insensitive respiration, 16
Carcinogenesis,
significance of altered RNase, 205
Cell fractionation data,
advantages of computer processing, 278
block diagrams, 294
bulk fractionations, 287
classification, 282
computer storage required, 327
criteria, 279
"cumulative" protein values, 292
dummy values, 287
fractionation methods, 313
graphical output, 319
marker enzymes, 316
molecular map, 328
NLMPS plots, 321, 323
NMPS plots, 320
objective analysis, 282
restricted computer input, 283
size of current literature, 280
test data base, 285
CELLFRAN, 331–335
*Ceratocystis ulmi*,
effect of hydroxamates, 20
Citrate,
effect on cyanide-insensitive respiration, 32
Chloramphenicol,
derepression of cycloheximide-sensitive protein synthesis, 51

Chloramphenicol, (*cont.*)
effect on:
cyanide-insensitive respiration, 49, 54
mitochondrial numbers, 224
protein synthesis in mitochondria, 96
*Chlorella pyrenoidosa*,
cyanide assimilation, 3
Chloroplasts,
tRNA species, 115
Chromatin,
associated histones, 154
CO-binding pigment,
in *Trypanosoma mega*, 38
Compartments,
in metabolism, 214
Coniferales,
cyanide-insensitive respiration, 5
Computer programs,
cell fractionation data, 277–349
graphical outputs, 319–324
CELLFRAN, 331–335
for mapping biological data, 328
for plotting, 335
for statistics, 335
for sucrose gradient calculations, 281
for zonal ultracentrifuge calculations, 319
Computer simulation,
FACSIMILE, 329
homomorphism, 329
of biochemical systems, 329
of *E. coli*, 329
of glycolysis, 329
of membrane functions, 330
parameter reduction, 329
Crown gall tumours,
and cyanide-insensitive respiration, 46
Cyanide,
effect on respiration, 1–65
fixation in basidiomycetes, 12
incorporation into amino acids, 12
Cyanide-insensitive respiration
and *Agrobacterium tumefaciens*, 46
and ATP production, 39
and crown gall tumours, 46
and elimination of toxins, 55
and etiolation, 45
and germination, 3
and oxidative phosphorylation, 31
and parasitic attack, 46
and reversed electron transport, 43
Cyanide-insensitive respiration, (*cont.*)
and site III phosphorylation, 30
appearance in mitochondria, 44–54
branched pathway hypothesis, 42, 43
classification of plants exhibiting it, 7
competition with cyanide-sensitive pathways, 53
effect of:
activators, 21–27
ascorbate plus TMPD, 30
chloramphenicol, 49
citrate, 32
culture conditions, 47
dinitrophenol, 52
electron transport inhibitors, 16
hydroxamates, 14
role of chelation, 17
isocitrate, 32
L lactate, 30
malate, 28
NADH, 29
α-oxoglutarate, 28
substrates, 27–35
succinate, 29
terminal oxidase inhibitors, 48
tissue wounding, 55
uncouplers, 16
endogenous,
in *Daucus carota*, 44
excess oxidase theory, 39
fluorescent flavoproteins, 42
history, 2
hypotheses, 41, 42
in:
algae, 9
animal kingdom, 3–9
Araceae, 4
*Arum maculatum*, 2
bacteria, 9
*Crithidia fasciculata*, 19
coniferales, 5
dicotyledons, 5
*Euglena gracilis*, 11
fungi, 9
hypothetical proangiosperms, 7
*Lathyrus odorata*, 5
laurales, 5
liliaceae, 4
meristem, 55
millipedes, 8
mitochondria, 12–14
from Neurospora crassa, 13
moncotyledons, 4
Neurospora crassa,
mitochondrial mutant, 225
pathogenic protozoa, 8

Cyanide-insensitive respiration, (*cont.*)
in: (*cont.*)
plant kingdom, 2–3
potato tuber, 13
*Symplocarpus foetidus*, 2
yeasts, 10–11
induction, 44
requirement for molecular oxygen, 51
*in vivo* regulation in plants, 53
kinetic analysis, 53
modulation, 44, 52–54
molecular approach to study of mechanism, 14
physiological role, 54
review, 1–65
role of:
*de novo* protein synthesis, 50
cytochrome *b*, 35
ferrosulphoproteins, 37
fluorescent flavoproteins, 36
L α glycerophosphate oxidase, 8
mutation and selection, 49
oxygen acceptors, 37
taxonomical analysis, 3

Cyanogenic plants, 11

Cycloheximide,
effect on yeast respiration, 51

Cytochrome *a*,
partial reduction in cyanide-insensitive respiration, 43

Cytochrome *a*, $a_3$,
in *Neurospora crassa* mitochondrial mutant, 226

Cytochrome $a_1$,
in Achromobacter, 38

Cytochrome $a_2$,
in Achromobacter, 38

Cytochrome $a_3$,
CO-complex in *Trypanosoma mega*, 38

Cytochrome *b*,
and cyanide-insensitive respiration, 35

Cytochrome $b_T$,
and cyanide-insensitive respiration, 35

Cytochrome $b_{555}$, 36

Cytochrome $c_1$,
in *Neurospora crassa* mitochondrial mutant, 50

Cytochrome *c*,
in *Neurospora crassa* mitochondrial mutant, 225
partial reduction in cyanide-resistant respiration, 43

Cytochrome oxidase,
biosynthesis, 99
in:
*Arum maculatum* mitochondria, 38
*Neurospora crassa* mitochondrial mutant, 226
mitochondrial marker, 317
sub-units, 99

Cytosol, 330

D

*Daucus carota*,
effect of antimycin, 25

Diaminopimelic–lysine pathway,
in *E. coli*, 220

Dicotyledons,
cyanide-insensitive respiration, 5

Diethylnitrosamine,
and liver hyperplasia, 195

Dimethylaminoazobenzene,
and liver hyperplasia, 196

Dinitrophenol,
effect on cyanide-insensitive respiration, 52

Dicarboxylic acids,
sub-cellular distribution, 329

*Drosophila melanogaster*,
mitochondrial polyribosomes, 123

dsRNA,
formation in mitochondria, 126

Dynamic compartmentation, 214

E

Echinoderms,
cyanide-insensitive respiration in eggs, 9

*E. coli*,
computer simulation, 328
diaminopimelic-acid–lysine pathway, 220
rRNA autodegradation, 193

Ehrlich ascites cells,
mitochondrial polyribosomes, 107

Enzyme action,
flexible arm, 216

Enzyme Commission, 279

Enzyme Commission (EC) numbers,
in cell fractionation data, 312

Enzymes,
organized pathways, 213–221

Ethidium bromide,
and poly(A)-containing RNA in mitochondria, 118
effect on:
mitochondrial protein synthesis, 103
mitochondrial transcription, 103, 224
etiolated leaves,
and cyanide-insensitive respiration, 45
Euglena,
mitochondrial polyribosomes, 101
*Euglena gracilis*,
cyanide-insensitive respiration, 11
effect of inhibitors, 16
induction, 48
succinate effects, 33
External metabolites,
and active transport, 218
Extramitochondrial protein synthesis, 101–103

F
FACSIMILE,
computer simulation program, 329
*Fagus sylvatica*,
effect of antimycin, 25
Ferrosulphoproteins,
and cyanide-insensitive respiration, 37
Fibroblasts,
rRNA autodegradation, 193
Flavoproteins,
role in cyanide-insensitive respiration, 36
Flexible arm,
in enzyme action, 216
Fluorescent antibody,
and RNase demonstration, 194
Fluorescent flavoprotein ($F_{Phf}$), 42
5 fluorouracil,
effect on lymphosarcoma, 203
Fmet tRNA,
mitochondrial, 116
FORTRAN,
use in:
analysis of sucrose gradients, 281
computer simulation, 328
CELLFRAN, 287
$F_{Pha}$ (high-potential non-fluorescent flavoprotein), and cyanide-insensitive respiration, 42
Fractionation type number,
in CELLFRAN, 283

G
Gastric mucosa,
preneoplastic lesions, 196
Gastric tumours,
alkaline RNase activity, 199
Genome,
mitochondrial, 104
Germination,
and cyanide-insensitive respiration, 3
Glucose 6 phosphatase,
microsomal marker, 317
Glycerol 3 phosphate,
effect on cyanide-insensitive respiration, 29
effect on Torulopsis respiration, 34
Glycolysis,
computer simulation, 329
Graphical output,
cell fractionation data, 319

H
He La cells,
mitochondria,
polyadenylation, 119
tRNA, 113
*Helianthus tuberosus*,
crown gall cyanide-insensitive respiration, 47
Hepatomas,
hyperbasophilia, 206
RNase activity, 191
High-potential fluorescent flavoprotein,
and cyanide-insensitive respiration, 42
Histone F1,
phosphorylation, 147
by nuclear protein kinase type III, 154
Histone F1b,
effect of phenoxybenzamine, 151
phosphorylation, 148
Histone F2a1,
effect of phenoxybenzamine, 151
Histone F2a2,
effect of:
cytoplasmic kinase, 153
phenoxybenzamine, 151
turnover in interphase, 153
mechanism, 154
Histone kinase, 152

Histone phosphatase, 152
attachment to chromatin, 152
Histone phosphorylation,
and availability of cAMP, 148
role in interphase, 147–156
Histones,
lysine uptake, 149
nucleolar, 153
phosphate content, 150
phosphorylation/dephosphorylation cycle, 154
separation on Biogel P10, 148
Homogenization,
and enzyme pathways, 213
Homomorphism,
in computer simulation, 329
Human tumours,
RNase activity, 199
Hybridization,
of nuclear DNA and mitochondrial RNA, 122
Hydroxamates,
effect on:
*Candida lipolytica*, 20
*Candida utilis* mitochondria, 19
*Ceratocystis ulmi*, 20
cyanide-insensitive respiration, 14
result of substitutions, 17
*Neurospora crassa* mitochondria, 19
*Ustilago maydis*, 20
8 hydroxyquinoline,
effect on respiratory pathways, 14
Hyperplastic nodules,
absence of RNase, 195

I
Induction,
of cyanide-insensitive respiration, 44
Input type number,
in CELLFRAN, 283
Interphase,
role of histone phosphorylations, 147–156
Iron-complexing substances,
effect on cyanide-insensitive respiration, 14
iso-Citrate,
effect on cyanide-insensitive respiration, 28, 32

K
Kg min,
in cell fractionation data, 288
Kinetic cell model, 328
K thiocyanate,
effect on respiratory pathways, 15

L
L α glycerophosphate oxidase,
and cyanide-insensitive respiration, 8
*Lathyrus odorata*,
cyanide-insensitive respiration, 2
Laurales,
cyanide-insensitive respiration, 5
Lead precipitation,
and study of RNase, 195
Leukaemic spleen,
RNase activity, 191
Liliaceae,
cyanide-insensitive respiration, 4
Lipophilic peptides,
synthesized by mitochondria, 227
Liver,
cell fractionation data, 279
parenchymal cells, 188
sub-cellular fractionation, computer processing, 277–349
Liver regeneration,
and histone phosphorylation, 147
L lactate,
effect on cyanide-insensitive respiration, 30
Lymphosarcoma,
effect of 5 fluorouracil, 203
regression after arginase therapy, 204
Lysine,
incorporation into histones, 151
Lysosome fractions, 320

M
Malate,
effect on respiration, 28
Malate dehydrogenase,
in *Neurospora crassa* mitochondrial mutant, 225
Marker enzymes, 316
m-CLAM,
effect on cyanide-insensitive respiration, 17
mitochondrial ADP:O ratio, 41
Membrane-limited vesicles, 215
Meningioma,
acid RNase activity, 201
Metabolic compartments, 214

Metabolic pathways,
accumulation of substrates, 218
external metabolites, 217
rate limiting steps, 218
steady state, 217
Methylases,
in *Phaseolus vulgaris*, 116
Methylation,
of mitochondrial rRNA, 111
Miconazole,
effect on respiratory pathways, 15
Methylnitrosourea,
and preneoplastic lesions, 196
Microdiffusion model, 216
Microsomal fraction,
glucose 6 phosphatase as marker, 317
NADH cytochrome *c* reductase, 320
tumours,
RNase activity, 191
Mitochondria,
alternative respiratory pathways, 1–65
amino acid incorporation,
nonspecific effects, 95
survey, 95–100
biogenesis,
regulation in Neurospora crassa, 223–229
role of intra- and extramitochondrial protein synthesis, 101–3
cell cycle,
"repressor" synthesis, 125
control mechanisms, 124
cyanide-insensitive respiration, 1–65
evidence for mitochondrial location, 12–14
structure of respiratory pathways, 35–44
cytochrome oxidase, 317
digitonin washing, 124
division, 228
from:
*Acer pseudoplatanus*,
ADP:O ratio, 40
effect of inhibitors, 22
*Arum maculatum*,
insensitivity to cyanide, 12
hydroxamate effects, 18
Aspergillus,
ribosomes, 109
*Aspergillus oryzae*,
effect of inhibitors, 23
calf brain,
tRNA species, 115
Mitochondria, (*cont.*)
from: (*cont.*)
*Candida utilis*, 19
effect of antimycin, 21
chicken liver,
ribosomes, 108
*Drosophila melanogaster*,
polyribosomes, 123
Ehrlich ascites,
transcription products, 117
Euglena,
polyribosomes, 101
ribosomes, 109
*Euglena gracilis*,
induction of cyanide-insensitive respiration, 48
tRNA species, 115
He La cells,
ribosomes, 108
tRNA species, 113
hepatoma,
poly(A)polymerase, 121
*Ipomea batatas*,
effect of inhibitors, 22
locust flight muscle,
ribosomes, 108
Maize,
ribosomes, 109
*Myrothecium verrucaria*,
cyanide-insensitive respiration, 13
effect of inhibitors, 24
Neurospora,
antibodies against ribosomal proteins, 110
ribosomes, 109
site of synthesis of ribosomal proteins, 102
rRNA, 113, 115
*Neurospora crassa*, 19
ADP:O ratio, 40
biogenesis, 223–229
cyanide-insensitive respiration, 13
*Phaseolus aureus*,
effect of:
hydroxamate, 18
inhibitors, 22
rat liver,
tRNA species, 115
*Rhodotorula mucilaginosa*,
effect of inhibitors, 24
Saccharomyces,
ribosomes, 108
*Sauromatum guttatum*,
*b*-type cytochromes, 35

Mitochondria, (*cont.*)
from: (*cont.*)
*Sauromatum guttatum*, (*cont.*)
effect of hydroxamate, 18
skunk cabbage.
ADP:O ratio, 41
cyanide insensitive respiration, 17
*Symplocarpus foetidus*,
ADP:O ratio, 40
*b*-type cytochromes, 35
Tetrahymena,
ribosomes, 109
*Torulopsis utilis*,
effect of inhibitors, 24
*Trypanosoma mega*,
cyanide insensitive respiration, 13
effect of inhibitors, 23
tumours,
RNase activity, 191
F-met tRNA, 116
genome,
and poly(A)-containing RNA synthesis, 120
interaction with nuclear genes, 125
size, 104
transcription products, 105
inner membrane,
labelling *in vitro*, 95
interaction with nuclear genes, 228
mRNA, 116–124
excess nucleotides, 122
possible importation, 121
Poly(A)-containing RNA, 118
affinity for ologi(dT) cellulose, 120
polyadenylation systems, 119
poly(A) polymerase, 119
polynucleotide synthesis, 104
polyribosomes, 100–107
"nonribosomal RNA", 120
RNA hybridization with mtDNA, 118
protease activity, 98
protein metabolism,
and RNA, 93–145
protein synthesis, 95–100
aggregation of labelled peptides, 99
electrophoresis of labelled products, 97
effect of detergents on products, 97
inhibitors, 96
rifamycin, 96
genetic origin of peptides made in mitochondria, 103
Mitochondria, (*cont.*)
protein synthesis, (*cont.*)
immunoprecipitation analysis, 98
in *Neurospora crassa*, 226
number of peptides made, 98
"primary peptide" hypothesis, 100
purity of isolated mitochondrial fractions, 124
repressors, 125
ribosomes,
characterization by immunochemistry, 124
electron microscopy, 107
from Tetrahymena, 107
general properties, 106
isolated from digitonin washed mitochondria, 124
large subunits, 110
$Mg^{2+}$ requirement for stability, 106
physicochemical properties, 107
site of synthesis of proteins, 102
subunit composition, 106
RNA,
hybridization with nuclear DNA, 122
review, 93–145
rRNA, 105
loss of small mol.wt. RNAs during isolation, 112
metabolism, 106–110
methylation, 111
saturation–hybridization data, 110
5S component, 111
sensitivity to ionic conditions, 111
temperature, 111
synthesis and processing, 110–112
55 S ribosomes, 107
succinate dehydrogenase, 317
synthesis of lipophilic peptides, 227
synchronous growth and division, 228
transcription,
effect of ethidium bromide, 103
rifamycin, 103
in *Neurospora crassa*, 226
possible link with translation, 123
translation,
in *Neurospora crassa*, 226
tRNAs, 105
absence of base "Y", 113
import into Tetrahymena mitochondria, 114
metabolism, 112–116
tRNA synthetases, 112

Mitochondrial–cytoplasmic interaction,
in cyanide-insensitive respiration, 52

Mitochondrially synthesized protein (MSP),
electropheroradiograms, 227
Mitochondrial repressor, 224
mRNA,
globin,
translation by *Neurospora crassa* mitochondria, 104
import into mitochondria, 121
mitochondrial, 116–124
nucleoplasmic transcripts, 122
mtDNA,
antimessage copies, 126
coding capacity, 121
from *Neurospora crassa*, 117
H and L strand transcription, 126
reaction with RNA polymerase, 117
spacers, 121
transcription and translation *in vitro*, 99
tRNA cistrons, 114
mtRNA,
review, 93–145
Molecular dynamics, 330
Molecular maps,
computer processing, 328
Monocotyledons,
cyanide-insensitive respiration, 4
Morphometric analysis, 330
Multienzyme complexes, 215
Mutation and selection,
and cyanide-insensitive respiration, 49
Mycorrhiza,
respiration, 27
*Myrothecium verrucaria*,
effect of antimycin, 26
effect of ascorbate on respiration, 31
*Mytilus edulis*,
cyanide-insensitive respiration, 9

N
NADH,
effect on Achromobacter respiration, 34
Candida respiration, 34
cyanide-insensitive respiration, 29
Torulopsis respiration, 34
NADH-cytochrome *c* reductase,
microsomal activity, 320
NADH-ubiquinone reductase,
and cyanide-insensitive respiration, 37
Na diethyl dithiocarbamate,
effect on respiratory pathways, 15
Na dodecylsulphate,
effect on mitochondrial proteins, 97
Necrotic tissue,
RNase activity, 202
Neoplasia,
and RNases, 183–211
review, 183–211
Neurospora,
carbamyl phosphate synthetase, 219
mitochondrial repressor proteins, 227
organized enzymatic pathways, 219
polysomes,
mitochondrial, 101
*Neurospora crassa*,
mi-1 mutant, 224
mitochondrial biogenesis,
regulation, 223–229
site of synthesis of ribosomal proteins, 102
mitochondrial cyanide-insensitive respiration,
effect of chloramphenicol, 50
mitochondrial protein synthesis,
labelled products, 98
poky mutants, 50
respiratory oscillations, 228
*Neurospora sitophila*,
cyanide-insensitive respiration, 48
*Neurospora tetrasperma*,
effect of antimycin, 26
N-nitrosomorpholine,
and hepatic tumours, 196
non-ADP ribosylated histone F1, 148
nonribosomal RNA,
in mitochondrial polyribosomes, 120
Novikoff hepatoma,
RNase in sub-cellular fractions, 190
Nuclear DNA,
hybridization with mtRNA, 122
Nuclear fraction,
contaminants, 188
Nuclear genes,
control of mitochondrial genome, 125
Nuclear protein kinase type III,
and histone phosphorylation, 154
Nuclei,
from Novikoff hepatoma, 192
rat liver, 152
interaction with mitochondria, 228

Nucleoli,
histones, 153
RNase activity, 192
Nucleoplasm,
phosphate content of histones, 153
Nucleotide sequences, 278

O
Oligomycin,
effect on cyanide-insensitive respiration, 16
Omadine,
effect on respiratory pathways, 15
On-line computers,
in biochemical research, 288
Organized enzymatic pathways, 213–221
Oscillations,
in mitochondrial biogenesis, 228
Oxidative phosphorylation,
and cyanide-insensitive respiration, 39
Site III, 31
α oxoglutarate,
effect on respiratory pathways, 28
Trypansoma mega, 33
Oxygen,
effect on induction of cyanide-insensitive respiration, 51
Oxygen acceptor, 37

P
Parameter reduction,
in computer simulation, 39
Partial hepatectomy,
effect on:
histone labeling, 149
histone phosphatase, 152
PCMB,
effect on latent alkaline RNase, 186
tumour RNase, 190
*Peltandra virginica*,
cytochrome *b*, 35
Phagocytes,
and RNase of necrotic tissue, 202
*Phaseolus aureus*,
effect of hyroxamate on mitochondrial respiration, 18
*Phaseolus vulgaris*,
methylase sub-cellular distribution, 116
Phenoxybenzamine,
effect on histone synthesis, 149
Phosphate,
effect on Mycorrhiza respiration, 27
in histones,
effect of partial hepatectomy, 150
phenoxybenzamine, 151
Piericidin A,
effect on respiratory pathways, 15
Poky mutants, 19
Pollinisation,
temperature enhancement, 54
Poly(A)-containing RNA,
aggregation, 120
in mitochondria, 118
Polyadenylation,
and membrane-bound complexes, 126
extramitochondrial, 119
poly(A) polymerase in mitochondria, 119
Polynucleotides,
synthesis by mitochondria, 104
Polyribosomes,
from mitochondria, 100, 101
Potato tuber,
Cyanide-insensitive respiration, 13
Preneoplastic liver
RNase activity, 195
"Primary peptide" hypothesis,
in mitochondrial protein synthesis, 100
Proangiosperm, 7
Program control,
in CELLFRAN, 332
Protease,
in mitochondria, 98
Protein synthesis,
and mtRNA, 93–145
in mitochondria, 95–100
role in induction of cyanide-insensitive respiration, 50
Protozoa,
respiratory pathways, 8
Pyruvate plus malate,
effect on respiration of *Candida utilis*, 33

Q
Quantitative morphometry, 330

R
Rat liver,
cell fractionation data, 336
Relative concentration, 279
computation, 288

Relative specific activity, 279
Repressors,
mitochondrial, 125, 224
Respiration,
alternative mitochondrial pathway, 1–65
cyanide-insensitive, 1–65
Respiratory chain,
branch points, 41
effect of alternative pathway, 53
Respiratory intensity ($I_{O_2}$), 45
Reversed electron transport,
and cyanide-insensitive respiration, 43
*Rhodotorula glutinis*,
respiration, 11, 21
Ribosomes,
from:
neoplastic hepatocytes, 206
Novikoff hepatoma, 192
tumour cells, 206
Rice seed respiration, 48
Rifamycin,
effect on:
mitochondrial protein synthesis, 96
transcription, 103
RNA,
affinity for basic dyes, 206
mitochondrial, 93–145
RNA polymerase,
in mitochondrial mutant, 225
reaction with mtDNA, 117
RNases,
and degradation of cytoplasmic particles, 205
and growth, 186
and neoplasia, 185–211
and tumour regression, 203
effect of:
antiliver RNases serum, 201
corticosteroids, 203
PCMB, 104
focal loss in preneoplastic tissue, 199
histochemical studies, 194
in Andervont tumours, 189
in ascitic fluid, 000
in Ehrlich tumours, 189
in Krebs-2 tumours, 189
in Lettré-Ehrlich tumours, 189
in necrotic tumour areas, 199
in tumours,
effect of asparaginase, 204
cytostatic agents, 204
localization by lead precipitation, 195
RNases, (*cont.*)
of necrotic tissue,
role of phagocytes, 202
of purified tumour cells, 202
review, 185–211
study with fluorescent antibodies, 199
rRNA,
autodegradation, 193
from mitochondria, 105
metabolism, 106–110
synthesis, 110

S
*Saccharomyces cerevisiae*,
cyanide-insensitive respiration, 10
*Saccharomyces fragilis*,
cyanide-insensitive respiration, 10
*Schizosaccharomyces pombe*,
respiratory pathways, 10
Sequential enzyme systems, 215
SHAM,
effect on ADP:O ratio, 41
respiration, 20
Skunk cabbage mitochondria, 17
Soluble enzymes,
definition, 214
Spadix,
of Arum species, 54
55 S ribosomes,
mitochondrial, 107
Statistics,
in CELLFRAN, 335
Steady state,
metabolic pathways, 217
Stereology, 330
Streptomycin,
effect on mitochondrial protein synthesis, 96
Stromal cells,
RNase activity, 202
Sub-cellular fractionation,
analysis of results, 188
contamination, 319
computer processing, 277–349
linear programing, 319
methodology, 313
of tumours, 188
protein assays, 284
reference fractions, 282
terminology, 279
Substrate-adaptor, 218
Substrate film method, 194

Succinate,
effect on cyanide-insensitive respiration, 29
Succinate dehydrogenase,
in *Neurospora crassa*, 225
mitochondrial marker enzyme, 317
Sudation,
in Arum, 54
Sulphate,
and induction of cyanide-insensitive respiration, 49
*Symplocarpus foetidus*,
cyanide-insensitive respiration, 15
effect of antimycin, 23
mitochondrial respiration, 17
effect of hydroxamates, 18

T
Tabulation,
cell fractionation data, 279
Test data base,
key data output, 312
marker enzyme output 312
sub-cellular fractions, 313
Tetrahymena,
tRNA uptake by mitochondria, 114
Text strings,
in computer output, 312
TMPD,
effect on respiration, 30
Tobacco pith,
rRNA autodegradation, 193
*Torulopsis utilis*,
effect of antimycin, 24
Translation-transcription complexes, 123, 126
Tricarboxylic acid cycle,
soluble enzymes, 322
Triton X 100.
effect on mitochondrial proteins, 97
tRNA,
cistrons in mtDNA, 114
mitochondrial, 105
metabolism, 112–116
*Trypanosoma brucei*,
respiratory pathways, 8
transformation, 45
*Trypanosoma mega*,
effect of:
antimycin, 23
α oxoglutarate, 33
Trypanosomes,
cyanide-insensitive respiration, 8
Tumour regression,
and RNase activation, 205
Tumours,
after N-nitrosomorpholine, 196
RNase activity,
biochemical analysis, 187
human tumours, 197
regression, 203
sub-cellular fractionation, 188

U
*Ustilago maydis*,
respiration, 16
effect of azide, 26
sporidia

V
Vesicles,
leaky, 215
membrane-limited, 215

W
Walker sarcoma 256,
RNase deficiency, 197
WATFIV,
in CELLFRAN, 287

Y
Yeasts,
cyanide-insensitive respiration, 10

Z
Zonal ultracentrifuge,
computer program, 319